



Certificate of Analysis

Customer Information

Client: Whole Earth Gifts
Attention: theron@wholeearthgifts.com
Address: 4108 SW Green Oaks Blvd. #173176
Arlington, TX 76003

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: WEG-8
Lot Number: 710016WE26023
Description: Finely ground plant material
Condition: Good
Job ID: ISO07706
Sample ID: I21652
Received: 23JUL2026
Completed: 29JUL2026
Report Date: 29JUL2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 24JUL2026 | 2051

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.47	w/w%	0.0054	N/A
7-Hydroxymitragynine	Report Results	0.00186	w/w%	0.00072	N/A
Paynantheine	Report Results	0.280	w/w%	0.0054	N/A
Speciogynine	Report Results	0.212	w/w%	0.0054	N/A
Speciociliatine	Report Results	0.355	w/w%	0.0054	N/A
Total Mitragyna Alkaloids	Report Results	2.32	w/w%	0.0054	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 27JUL2026 | 0956

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.090	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.027	ug/g	0.002	PASS
Mercury	NMT 0.20	0.014	ug/g	0.002	PASS
Lead	NMT 5.00	0.756	ug/g	0.002	PASS

Microbial Examination

Method Code: T005

Tested: 29JUL2026 | 1300

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS

Additional Report Notes

N/A

Revision History


Report ID: 240b77c5-10af-5842-8358-7b7f7364475a
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
Name:	Tyler West	Department:	Management
		Date:	29JUL2026